



**CITY OF STATESBORO 50 E MAIN ST
P.O. BOX 348
STATESBORO, GA 30459
P: 912-764-5468
F: 912-764-4691**

Occupational Tax Requirements

Applicant will need to call and schedule an inspection 3 days AFTER submitting all the completed paperwork to the clerk's office. The process will continue after the paperwork has been reviewed for accuracy.

**Fire Department: 912-764-3473
Building Official: 912-764-0630**

If you have any questions, please call the tax/license department at 912- 764-0625.



City of Statesboro

912-764-0625

Occupational Tax Application for Attorneys

APPLICATION MUST BE LEGIBLE

(Please print or type)

All lines must include correct information or marked "N/A" if not applicable.

All applicants will be required to provide a photo ID (front and back).

1. Date of Application: _____
2. Business Legal Name: _____
3. Business Name (DBA): _____
4. Business Location: _____
5. I have verified the business address with Bulloch County's 911: _____
6. Business Mailing Address: _____
7. Business Owner(s): _____
(Partnership _____ LLC _____ Corporation _____ Individual _____)
8. Business Telephone: _____
9. Contact email: _____
10. Business Owner's Address: _____

11. Business Owner's Telephone: _____
12. Business Owner's date of birth _____ SSN _____
13. Property Owner's name: _____
14. Georgia Sales Tax # _____ Federal Tax ID# _____
15. State Board Certificate # _____ Expiration Date: _____
16. Most recent business at this location? _____
17. Is this an ownership change only? _____

18. Have you ever owned or operated a business in the City of Statesboro? Yes _____ No _____

If yes, please list the name of the business and the location of the business:

19. Is your business a home occupation? Yes _____ No _____

_____ YES If your proposed place of business is utilizing an existing building, will it constitute
_____ NO a change of use from the type of business previously there?
If yes, please contact the Engineering Department at (912)764-0655.

_____ YES Will there be electrical, plumbing, or heating/air work performed prior to opening
_____ NO your business?
If yes, please contact the City Building Official at (912)764-0655.

_____ YES Will construction valued at more than \$1000.00 be performed prior to opening
_____ NO your business? If yes, please contact Planning and Development at (912)764-
0630.

_____ YES Does the building meet handicap accessibility?
_____ NO If no or unsure, please contact the Building Official at (912)764-0630.
_____ UNSURE

Even if all questions are checked "NO" the Fire Official **must** perform an inspection of your building and any code violations found **must** be corrected. Please call (912)764-3473 to schedule the fire inspection. If any code violations are found, they must be corrected and re-inspected **prior** to the issuance of the Occupation Tax Certificate.

Each person who is licensed by the examining boards of the Secretary of State's office **must** provide evidence of proper and current state licensure before a City of Statesboro Occupation Tax Certificate will be issued. **Please submit this information with your application.**

Each person who is licensed by the medical boards **must** provide a copy of the current license before a City of Statesboro Occupation Tax Certificate will be issued. **Please submit this information with your application.**

FEEES:

Application Fee: \$ 40.00

Administration Fee: \$ 95.00

Number of full time equivalent employees: _____ X \$20 = \$_____

*Full time equivalent employees are determined by adding the total number of hours worked by all employees per week and dividing by 40. **Owners are counted as a full time employee.**

****Please read AND initial each statement below****

_____ Occupational tax on attorneys continuing from the preceding year shall be due on January 1 of each subsequent year.

_____ I understand that failing to pay the occupational taxes within 120 days after January 1 shall be subject to and shall pay a ten percent penalty of the amount of tax.

CERTIFICATION:

I, _____ BEING THE _____
Print Name Title

OF THE BUSINESS FIRM HEREIN NAMED, ATTEST THAT THE NUMBER OF EMPLOYEES REPORTED ABOVE IS THE NUMBER OF EMPLOYEES REPORTED ON THE GEORGIA DEPARTMENT OF LABOR TAX AND WAGE REPORT AND I DECLARE THAT THE ABOVE INFORMATION CONTAINED IN THIS RETURN IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE.

SIGNATURE _____

SUBSCRIBED AND SWORN BEFORE ME ON
THIS _____ DAY OF _____, 20_____

NOTARY PUBLIC

MY COMMISSION EXPIRES



STATESBORO POLICE DEPARTMENT

25 WEST GRADY STREET / STATESBORO, GEORGIA 30458
PHONE: (912) 764-9911 / FAX: (912) 489-5050

Please take a moment to complete the following information regarding your new business. This information will be forwarded to the Statesboro Police Department in maintaining a database for current information on businesses in case of emergency after hours contact. If any of the information should change, we would appreciate notification at the following address and telephone number. Again, thank you for your time and patience in completing this form. If you have any questions or concerns, please feel free to contact:

Statesboro Police Department
25 West Grady Street
Statesboro, Ga. 30458
(912) 764-9911

Business Name: _____

Street Address: _____

Business Phone: _____ **Reference Person:** _____

Dispatch Alert: Please note any private security information regarding your business (such as vicious dog at gate, alarm company, etc...).

Contact Information: Please list three emergency contacts.

<u>Name</u>	<u>Telephone Numbers</u>	<u>Cell Phone Numbers</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____

General Information: Such as hours of operation, also please list any information that you feel would assist us in serving you and your business.

Complete ONLY if there is fewer than 11 employees

Private Employer Exemption Affidavit Pursuant to O.C.G.A. 36-60-6(d)

By executing this affidavit, the undersigned private employer verifies that it is exempt from compliance with O.C.G.A. §36-60-6, stating affirmatively that the individual, firm or corporation **employs fewer than eleven employees** and therefore, is not required to register with and/or utilize the Federal Work Authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. §13-10-90.

Signature of Exempt Private Employer: _____

Printed Name of Exempt Private Employer: _____

Name of Business: _____

I do hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, 20____ in _____ (city), _____ (state)

Signature of Authorized Officer or Agent: _____

Printed name & Title of Authorized Officer or Agent: _____

SUBSCRIBED AND SWORN BEFORE ME ON THIS _____ DAY OF _____, 20____.

NOTARY PUBLIC

MY COMMISSION EXPIRES

Complete ONLY if there is MORE THAN 10 employees

Private Employer Affidavit of Compliance Pursuant to O.C.G.A 36-60-6(d)

By executing this affidavit, the undersigned private employer verifies its compliance with O.C.G.A. § 36-60-6, stating affirmatively that the individual, firm or corporation **employs more than ten employees** and has registered with and utilizes the Federal Work Authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. §13-10-90. Furthermore, the undersigned private employer hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User ID Number: _____ Authorization Date: _____

Name of Private Employer: _____

Name of Business: _____

I do hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, 20____ in _____ (city), _____ (state)

Signature of Authorized Officer or Agent: _____

Printed Name of Authorized Officer or Agent: _____

SUBSCRIBED AND SWORN BEFORE ME ON THIS _____ DAY OF _____, 20____.

NOTARY PUBLIC

MY COMMISSION EXPIRES



Statesboro Fire Department

Fire Inspection Checklist for Business Licenses

Fire Prevention Division

24 W. Grady St

Statesboro, GA 30458

Office: 912-764-FIRE (3473)

Fax: 912-681-7205

Fire Inspectors look at many items in your business. As a public service, The Statesboro Fire Departments Prevention Division is providing you a self-checklist to assist you and your business in making an assessment of your surroundings before and after the Official inspection by a Fire Inspector.

The checklist will give you a better understanding of what Inspectors look for and will assist you in obtaining a complete/passing inspection during the first visit. The checklist is **NOT** all inclusive as some businesses will require other items above and beyond what is on the list. Your inspector looks forward to discussing these additional items during the visit if requested.

The Statesboro Fire Department has adopted the Georgia Minimum Fire Safety Codes as the model code for the community. Fire Inspectors use this and other referenced codes as a standard for inspections within the fire district. Some of the most common codes used are:

National Fire Protection Association 101, Life Safety Code, 2012th Edition, National Fire Protection Association 10, Standard for Portable Fire Extinguishers, 2002nd Edition, National Fire Protection Association 70, National Electrical Code, 2005th Edition, National Fire Protection Association 96, Kitchen Hood Systems, 2004th Edition,

International Fire Code, 2012th Edition, International Building Code, 2012th Edition, Georgia 120-3-3

These are NOT the only code enforced by the Fire Prevention Division. Other referenced codes may be used based on circumstances presented to the bureau inspector.

Should you require further information, please feel free to contact the inspection division at the above number or via e-mail. An inspector will contact you within a reasonable amount of time to answer your questions.

Thank You

Prevention Officer



Statesboro Fire Department
*Proudly serving the City of Statesboro
and surrounding communities since 1905*

Exits

- Illuminated exit signs maintained in working order
- Proper lock/hardware on exit door(no flush bolts, hasps, etc)
- Means of egress shall be kept clear
- Emergency lights maintained and in working order
- Exit doors open easily and close after opening
- Exit discharge is clear to the public way
- Doors with panic hardware shall have no other locking devices
- There is a sign over the main entrance, "this door to remain unlocked during business hours", if the door has a double keyed deadbolt
- Maximum occupancy signage shall be posted in a conspicuous location near the main entrance for assembly occupancies

Extinguisher/Fire Protection Equipment

- A minimum 2A10BC extinguisher installed as directed
- Hood extinguishing system maintained, and six month service and cleaning documented
- Fire extinguishers serviced within the past year and a new service inspection tag attached
- Extinguishers are securely mounted or in an approved cabinet
- Fire extinguishers are not obstructed and in plain view
- Fire extinguisher top shall be placed between 36" and 50" from floor
- Class K extinguisher installed within 30' of hood and duct system
- Fire alarm system in proper working order AND tested annually with accurate documentation
- 18" clearance between storage and sprinkler heads
- Sprinkler system shall be maintained AND tested annually with accurate documentation
- Standpipe shall be tested every 5 years, and flows taken every 3 years
- Maintain access to fire hydrants and connections for sprinkler and standpipe systems
- Fire and smoke walls shall be maintained and have no opening other than those allowed by the fire code

Electrical

- NO extension cords in place of permanent wiring. (Power strips with breaker buttons are acceptable)
- Electrical panel is not overloaded or obstructed
- 36" clearance maintained in front of electrical panels
- No multi-plug adapters in use, other than approved power strips
- There are no spliced or frayed cords or wires
- Spacers/Blanks installed in electrical panel gap(s)
- Circuit breakers are labeled
- No broken, faulty, or missing switches or outlets
- No missing covers for switches, outlets, junction boxes, electrical panels, etc.



Statesboro Fire Department
*Proudly serving the City of Statesboro
and surrounding communities since 1905*

- Electrical cords do not extend through walls, ceilings, floors, or above or under doors or floor coverings
- No exposed wiring in conduit

Appliances/Mechanical Devices

- All appliances are properly wired, connected and vented
- All appliances are listed

Storage/Combustible material/Housekeeping

- Flammable liquid properly stored
- No accumulation of combustible materials
- Oil rags in non-combustible container with lid
- Compressed gas cylinders secured regardless if full, in use, or empty
- "No Smoking" signs installed as required in areas where combustible materials are stored
- Area around building free of combustible material (weeds, trash, boxes, etc)
- Maintain storage 24" below ceilings without a sprinkler system
- Maintain 36" clearance around items such as furnace and hot water tanks and other ignition sources
- No storage shall be kept in exit stairways

Miscellaneous

- Fire protection equipment unobstructed
- Fire hydrants and fire department connections are visible and unobstructed
- Fire hydrants and other fire protection equipment are protected from physical damage where subject to impact by vehicles
- Knox box entry system mounted in an accessible place for Madison Fire District use only
- Charcoal grills, propane grills, and/or other open-flame cooking devices shall not be located on combustible balconies or within 10' of combustible construction. EXCEPTIONS: one and two family dwellings, and where balconies/decks are protected by an automatic sprinkler system
- Address numbers shall be posted in contrasting colors on front and rear doors for commercial businesses. Numbers shall be a minimum of 8" high on the front and 4" on the back. All other structures shall be 4" except home daycares, which shall be 6".

Note: This list is a general guideline only for common violations that can be readily determined and corrected by the occupant.